

# Technical data sheet

## Product features



### Food display island chilled GN 6-1/1 - 200 mm, Wenge

<b>Model</b>	<b>SAP Code</b>	00012198
--------------	-----------------	----------



- Buffet type: GREEN - cooled, static cooling, deep
- Device properties: Chilled
- Number of GN / EN: 6
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

<b>SAP Code</b>	00012198	<b>Loading</b>	230 V / 1N - 50 Hz
<b>Net Width [mm]</b>	2144	<b>Number of GN / EN</b>	6
<b>Net Depth [mm]</b>	650	<b>GN / EN size in device</b>	GN 1/1
<b>Net Height [mm]</b>	1488	<b>GN device depth</b>	200
<b>Net Weight [kg]</b>	169.00	<b>Minimum device temperature [°C]</b>	4
<b>Power electric [kW]</b>	0.247	<b>Maximum device temperature [°C]</b>	8

# Technical data sheet



Technical drawing




Food display island chilled GN 6-1/1 - 200 mm, Wenge

<b>Model</b>	<b>SAP Code</b>	00012198
--------------	-----------------	----------

A= ELECTRICAL CONNECTION  
 D= WATER DISCHARGE Ø14  
 E= GAS CONNECTION Ø6 Ø8



GN	L
3/1	1169
4/1	1494
6/1	2144



# Technical data sheet

## Product benefits



### Food display island chilled GN 6-1/1 - 200 mm, Wenge

Model

SAP Code

00012198

1

#### Static cooling

simultaneous use of direct injection and boiler, maintenance of 100% humidity, or its regulation

- less drying of food
- more economical

2

#### Breathing screen with electric drive

the possibility of easily covering the food

- higher hygienic safety
- ease of use
- attractiveness

3

#### LED lighting

minimal energy consumption

- economical lighting
- attractive appearance

4

#### Removable evaporator filter

easy disassembly

- time saving for cleaning

5

#### All-stainless steel construction

harmless to health for contact with food  
robustness

- perfect sanitation
- long service life

6

#### Rounded corners

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

7

#### GN insertion up to 2mm

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

8

#### Travel wheels

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

9

#### Breathing galley with trigger

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

# Technical data sheet

Technical parameters



## Food display island chilled GN 6-1/1 - 200 mm, Wenge

Model

SAP Code

00012198

### 1. SAP Code:

00012198

### 2. Net Width [mm]:

2144

### 3. Net Depth [mm]:

650

### 4. Net Height [mm]:

1488

### 5. Net Weight [kg]:

169.00

### 6. Gross Width [mm]:

2208

### 7. Gross depth [mm]:

714

### 8. Gross Height [mm]:

1595

### 9. Gross Weight [kg]:

194.20

### 10. Device type:

Electric unit

### 11. Material:

Stainless steel

### 12. Buffet type:

GREEN - cooled, static cooling, deep

### 13. Device properties:

Chilled

### 14. Device color:

RAL

### 15. Power electric [kW]:

0.247

### 16. Loading:

230 V / 1N - 50 Hz

### 17. Number of GN / EN:

6

### 18. GN / EN size in device:

GN 1/1

### 19. GN device depth:

200

### 20. Minimum device temperature [°C]:

4

### 21. Maximum device temperature [°C]:

8