

Technical data sheet



Product features

Slicer, blade 250 mm teflon

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00020267 |
|--------------|-----------------|----------|



- Blade type: Teflon
- Blade diameter [mm]: 250
- Cutting thickness [mm]: 1-14
- Transfer type: Strappy
- Material: Aluminium
- Safety cover: transparent plexiglass
- Safety element: Two buttons on off switch.

safety cover

- Table position: Oblique
- On/Off button: Yes

| | | | |
|------------------------|----------|-------------------------------|--------------------|
| SAP Code | 00020267 | Power electric [kW] | 0.180 |
| Net Width [mm] | 410 | Loading | 230 V / 1N - 50 Hz |
| Net Depth [mm] | 510 | Blade type | Teflon |
| Net Height [mm] | 390 | Blade diameter [mm] | 250 |
| Net Weight [kg] | 13.50 | Cutting thickness [mm] | 1-14 |

Technical data sheet



Product benefits

Slicer, blade 250 mm teflon

Model

SAP Code

00020267

1 | **The slicer is built with polished cast aluminum.**
strength, high corrosion resistance, thermal conductivity
– longer service life of the cutting machine

2 | **Very sturdy and easy to use and clean with little maintenance.**
easy to use and clean
– time savings

3 | **Excellent for cutting meats, vegetables and cheeses.**
variability of use for different foods
– cost savings

4 | **The blade is made in non sticking steel with special grooves.**
the food does not stick, the flow of work
– time saving, uncomplicated work

5 | **Fixed sharpening with bowl to maintain stones clean from food residues.**
the possibility of sharpening the knife without adding a sharpener
– saving time, manpower, costs

6 | **Sliding carriage on teflon bushings with an heavy duty food holder with removable nails for easy cleaning.**
fluidity of work, easy cleaning
– saving human labor, time

7 | **Removing carriage with block sail according to security rules.**
the food cart can be removed
– higher safety, easy cleaning

8 | **Strong fan silenced professional motor.**
lower noise
– health protection

9 | **Two buttons on off switch.**
safety feature
– health protection, safety

10 | **The slicer was designed and manufactured according to international standards for safety, hygiene and food contact.**
meets strict safety and hygiene standards
– higher safety, hygiene

11 | **Slicing thickness 0-14 mm.**
variability of the thickness of the sliced product
– cost savings

12 | **According to the CE rules professional use.**
use in highly specialized and professional operations
– professional product - prestige

Technical data sheet



Technical parameters

Slicer, blade 250 mm teflon

Model

SAP Code

00020267

1. SAP Code:

00020267

2. Article group:

RF- Slicers

3. Net Width [mm]:

410

4. Net Depth [mm]:

510

5. Net Height [mm]:

390

6. Net Weight [kg]:

13.50

7. Gross Width [mm]:

500

8. Gross depth [mm]:

400

9. Gross Height [mm]:

580

10. Gross Weight [kg]:

16.50

11. Device type:

Electric unit

12. Material:

Aluminium

13. Device color:

Grey

14. Power electric [kW]:

0.180

15. Loading:

230 V / 1N - 50 Hz

16. Control type:

Electric

17. Safety cover:

transparent plexiglass

18. Safety element:

Two buttons on off switch.

safety cover

19. Main switch:

Yes

20. Transfer type:

Strappy

21. Standard equipment for device:

whetstone

22. Additional information:

Noise N. 62 DB

23. Blade type:

Teflon

24. Blade diameter [mm]:

250

25. On/Off button:

Yes

26. Removable moving table:

Yes

Technical data sheet



Technical parameters

Slicer, blade 250 mm teflon

Model

SAP Code

00020267

27. Anti-adhesive blade treatment:

Yes

30. Sharpening device:

Integrated

28. Table position:

Oblique

31. Cutting thickness [mm]:

1-14

29. Blade cover material:

Plastic