

Technical data sheet

Product features



Food display island chilled, adjustable GN 4-1/1 Wenge

| | | |
|--------------|-----------------|----------|
| Model | SAP Code | 00012186 |
|--------------|-----------------|----------|



- Buffet type: BLUE - cooled, dynamic cooling
- Device properties: Chilled
- Number of GN / EN: 4
- GN / EN size in device: GN 1/1
- GN device depth: 200
- Minimum device temperature [°C]: 4
- Maximum device temperature [°C]: 8

| | | | |
|----------------------------|----------|--|--------------------|
| SAP Code | 00012186 | Loading | 230 V / 1N - 50 Hz |
| Net Width [mm] | 1494 | Number of GN / EN | 4 |
| Net Depth [mm] | 760 | GN / EN size in device | GN 1/1 |
| Net Height [mm] | 1488 | GN device depth | 200 |
| Net Weight [kg] | 189.70 | Minimum device temperature [°C] | 4 |
| Power electric [kW] | 0.494 | Maximum device temperature [°C] | 8 |

Technical data sheet

Technical drawing



Food display island chilled, adjustable GN 4-1/1 Wenge





Model

SAP Code

00012186

A= ELECTRICAL CONNECTION
 D= WATER DISCHARGE ø16
 E= GAS CONNECTION ø8 ø10
 F= WATER BOX

| | | |
|-----|------|------|
| GN | L1 | L2 |
| 4/1 | 1494 | 744 |
| 6/1 | 2144 | 1069 |



Technical data sheet

Product benefits



Food display island chilled, adjustable GN 4-1/1 Wenge

Model

SAP Code

00012186

1

Dynamic cooling

constant temperature in all places of the refrigerated space

- greater hygienic safety of chilled food

2

Breathing screen with electric drive

the possibility of easily covering the food

- higher hygienic safety
- ease of use
- attractiveness

3

LED lighting

minimal energy consumption

- economical lighting
- attractive appearance

4

Removable evaporator filter

easy disassembly

- time saving for cleaning

5

All-stainless steel construction

harmless to health for contact with food
robustness

- perfect sanitation
- long service life

6

Rounded corners

basins without sharp edges and corners

- higher hygienic safety
- time saving due to easy cleaning

7

GN insertion up to 2mm

variability of use

- possibility of cooling different types of food and larger volumes
- saving time, space, costs

8

Travel wheels

portable buffet table

- greater flexibility in dispensing
- possibility of use at banquets
- easier and safer handling

9

Breathing galley with trigger

galerka made of hygienic Plexiglas with motorized displacement

- hygienic food protection
- the possibility of sealing before dispensing - extending the shelf life of food

Technical data sheet

Technical parameters



Food display island chilled, adjustable GN 4-1/1 Wenge

Model

SAP Code

00012186

1. SAP Code:

00012186

2. Net Width [mm]:

1494

3. Net Depth [mm]:

760

4. Net Height [mm]:

1488

5. Net Weight [kg]:

189.70

6. Gross Width [mm]:

1558

7. Gross depth [mm]:

860

8. Gross Height [mm]:

1595

9. Gross Weight [kg]:

190.00

10. Device type:

Electric unit

11. Material:

Stainless steel

12. Buffet type:

BLUE - cooled, dynamic cooling

13. Device properties:

Chilled

14. Device color:

RAL

15. Power electric [kW]:

0.494

16. Loading:

230 V / 1N - 50 Hz

17. Number of GN / EN:

4

18. GN / EN size in device:

GN 1/1

19. GN device depth:

200

20. Minimum device temperature [°C]:

4

21. Maximum device temperature [°C]:

8