

Technical data sheet



Product features

Fry-top griddle plate 32x48 electric smooth counter top 230 V

Model	SAP Code	00000982
--------------	-----------------	----------

- Top type: Smooth
- Griddle dimensions [mm x mm]: 320 x 480
- Griddle thickness [mm]: 10.00
- Container for liquid fat: Yes
- Maximum device temperature [°C]: 300
- Removable rim: No

SAP Code	00000982	Power electric [kW]	3.000
Net Width [mm]	328	Loading	230 V / 1N - 50 Hz
Net Depth [mm]	541	Griddle dimensions [mm x mm]	320 x 480
Net Height [mm]	285	Top type	Smooth
Net Weight [kg]	22.00		

Technical data sheet




Technical drawing

Fry-top griddle plate 32x48 electric smooth counter top 230 V

Model

SAP Code

00000982



Technical data sheet



Product benefits

Fry-top griddle plate 32x48 electric smooth counter top 230 V

Model

SAP Code

00000982

1

All-stainless design

- long life
- resistance of AISI 304 stainless steel material
- the material does not cut
 - savings on service interventions
 - easy cleaning and maintenance of equipment

2

Degree of protection of the control elements IPX4

- maintenance-free system
- resistance to splash water
- long life
 - savings on service interventions
 - easy cleaning and maintenance of equipment

3

Outlet for waste liquids

- ensures that oil drips into the socket
 - easy maintenance
 - easy cleaning

4

High non-removable hem

- better hygienic conditions
- preventing grease from splashing onto ancillary equipment
 - easy maintenance
 - easy cleaning

5

Sandblasted steel plate

- good heat transfer
- uniform heating
 - time-saving for food preparation
 - no reheating and long cooking times

6

Cooking unit for use on a table or on a base

- variable use
- the possibility of placement in smaller spaces
 - easy handling
 - cost savings on substructure

Technical data sheet



Technical parameters

Fry-top griddle plate 32x48 electric smooth counter top 230 V

Model

SAP Code

00000982

1. SAP Code:

00000982

2. Net Width [mm]:

328

3. Net Depth [mm]:

541

4. Net Height [mm]:

285

5. Net Weight [kg]:

22.00

6. Gross Width [mm]:

670

7. Gross depth [mm]:

395

8. Gross Height [mm]:

362

9. Gross Weight [kg]:

28.00

10. Device type:

Electric unit

11. Construction type of device:

Table top

12. Power electric [kW]:

3.000

13. Loading:

230 V / 1N - 50 Hz

14. Protection of controls:

IPX4

15. Material:

AISI 430

16. Indicators:

operation and warm-up

17. Maximum device temperature [°C]:

300

18. Minimum device temperature [°C]:

50

19. Adjustable feet:

Yes

20. Griddle dimensions [mm x mm]:

320 x 480

21. Griddle thickness [mm]:

10.00

22. Container for liquid fat:

Yes

23. Removable rim:

No

24. Uniform heating:

Yes

25. Top type:

Smooth