
Product features



Universal mixer planetary digital control panel 3 speed 30 l 400 V				
Model	SAP Code	00012542		
		 Device capacity [l]: 30.00 Control type: Digital Safety cover: stainless steel with a Start /stop: Yes Safety element: total stop completed evice in case of opening the controperator from injury Number of speeds of device: 3 Standard equipment for device: w Additional information: possibility grinder, vegetable grinder and 200 Mixing system: With a fixed contait Way of tool mounting: Planets 	ete stop of the tainer protects the whisk, hook, stirrer y of purchasing a meat l boiler with reduction	
SAP Code	00012542	Power electric [kW]	0.750	
Net Width [mm]	568	Loading	400 V / 3N - 50 Hz	
Net Depth [mm]	660	Device capacity [l]	30.00	
Net Height [mm]	1156	Bowl lift	Mechanical	
Net Weight [kg]	200.00			

Technical drawing







/er			
del	SAP Code	00012542	
	Planetary storage of attachments		
ж.	with 3 speeds		
	the attachments rotate around their axis and at the same time go around in a circle without the need to rotate the vessel (boiler)		
	 better mixing of ingredients; better quality of prepared dough 		
	Additional devices		
2	the possibility of grinding or grinding, or wiper arms, or handling carts		
	– mutifunctionality		
	Content 5 80L		
5	wide sortiment		
	 always the ideal size for every operation 		
	Safety microswitch		
4	without closing the microswitch, the machine will not start		
	 avoiding possible injury to the operator 		
_	Protective cover with filling opening		
5	without closing the microswitch, the machine will not start		
	 Ingredients can be added additionally while ensuring 	5	
	the safety of the staff)	
	Whisk, hook, stirrer		
6	great basic equipment		
	 there is no need to buy additional equipment for whipping or kneading 		
_	No oil bath		
	the robot has a gearbox that is not stored in an oil basin		
	 no release of gear oil into the food 		
	Reduction boiler		
8	possibility to buy a reducing boiler that fits comfortably		
	in a larger machine, but the volume is smaller than the boiler original		
	 simplification of working with smaller volumes of 		
	raw materials; the customer does not have to buy		
	a second smaller machine afterwards		

Technical parameters



Universal mixer planetary digital control panel 3 speed 30 l 400 V				
Model	SAP Code	00012542		
1. SAP Code: 00012542		14. Number of speeds of device: 3		
2. Net Width [mm]: 568		15. Control type: Digital		
3. Net Depth [mm]: 660		16. Safety cover: stainless steel with a filling hole		
4. Net Height [mm]: 1156		17. Safety element: total stop complete stop of the device in case of opening the container protects the operator from injury		
5. Net Weight [kg]: 200.00		18. Way of tool mounting: Planets		
6. Gross Width [mm]: 668		19. Safety Microswitch: Yes		
7. Gross depth [mm]: 760		20. Start /stop: Yes		
8. Gross Height [mm]: 1200		21. Timer: Yes		
9. Gross Weight [kg]: 220.00		22. Standard equipment for device: whisk, hook, stirrer		
10. Device type: Electric unit		23. Additional information: possibility of purchasing a meat grinder, vegetable grinder and 20l boiler with reduction		
11. Power electric [kW]: 0.750		24. Unmountable bowl: Yes		
12. Loading: 400 V / 3N - 50 Hz		25. Bowl lift: Mechanical		
13. Device capacity [l]: 30.00		26. Suitable operations: Mixing, whipping and kneading		

Technical parameters



Universal mixer planetary digital control panel 3 speed 30 l 400 V				
Model	SAP Code	00012542		

27. Mixing system:

With a fixed container

28. Image for addition: 65F412BC-4D18-4EBD-958B-8DFF8BA98E9B