










Type of product	Description	View	Power/Voltage
FE - 30 EL	<p>Electric Fryer 8l - Singlephase</p> <ul style="list-style-type: none"> • spec.stainless steel heating elements • cold zone • ceramic thermostat (working and safety) • heat control 50-190°C • robust drain outlet 3/4" • robust basket • basket: 21 x 23,5 x 10 cm 		<p>3 kW 230 V / 50 Hz</p>  <p>7/9 kg/h</p>
FE - 30 ELT	<p>Electric Fryer 8l - Threephase</p>	<p>Dimensions (cm): 33 x 60 x 29</p>	<p>6 kW 400 V / 3N / 50 Hz</p>
FE - 60 EL	<p>Electric Fryer 2 x 8l - Singlephase</p> <ul style="list-style-type: none"> • spec.stainless steel heating elements • cold zone • ceramic thermostat (working and safety) • heat control 50-190°C • 2 x robust drain outlet 3/4" • robust baskets • basket: 2 x 21 x 21,5 x 10 cm 		<p>2 x 3 kW 230 V / 50 Hz</p>  <p>14/18 kg/h</p>
FE - 60 ELT	<p>Electric Fryer 2 x 8l - Threephase</p>	<p>Dimensions (cm): 66 x 60 x 29</p>	<p>2 x 6 kW 400 V / 3N / 50 Hz</p>
FE - 66 ELT	<p>Electric Fryer 16l - Threephase</p> <ul style="list-style-type: none"> • spec.stainless steel heating elements • cold zone • ceramic thermostat (working and safety) • heat control 50-190°C • robust drain outlet 3/4" • robust baskets • basket: 45,5 x 24,5 x 8 cm • 1 big basket or 2x medium size or 3x small bakets 		<p>9 kW 400 V / 3N / 50 Hz</p>  <p>15 kg/h</p>
FE - 66/2 ELT	<p>Electric Fryer 16l - Threephase</p> <ul style="list-style-type: none"> • basket: 2x 21x23,5x10cm 	<p>Dimensions (cm): 66 x 60 x 29</p>	<p>1x 455 x 245 x 80 mm</p> 
FE - 66/3 ELT	<p>Electric Fryer 16l - Threephase</p> <ul style="list-style-type: none"> • basket: 3x 13x23,5x10cm 	<p>or</p>	<p>2x 210 x 235 x 100 mm</p> 
FE - 66/3 ELT	<p>Electric Fryer 16l - Threephase</p> <ul style="list-style-type: none"> • basket: 3x 13x23,5x10cm 	<p>or</p>	<p>3x 130 x 235 x 100 mm</p> 

Type of product	Description	View	Power/Voltage
-----------------	-------------	------	---------------


FE - 31 ELT

Electric Fryer 8l - Threephase

- spec.stainless steel heating elements
- cold zone
- ceramic thermostat (working and safety)
- heat control 50-190°C
- robust drain outlet 3/4"
- robust basket
- basket: 21 x 23,5 x 10cm
- oil container with sieve plate inside base



6 kW
400 V / 3N / 50 Hz



Dimensions (cm): 33 x 60 x 86 - 92


FE - 61 ELT

Electric Fryer 2 x 8l - Threephase

- spec.stainless steel heating elements
- cold zone
- ceramic thermostat (working and safety)
- heat control 50-190°C
- 2 x robust drain outlet 3/4"
- robust baskets
- basket: 2 x 21 x 23,5 x 10 cm
- 2 x oil container with sieve plate inside base



2 x 6 kW
400 V / 3N / 50 Hz



Dimensions (cm): 66 x 60 x 86 - 92


FE - 31/13 ELT

Electric Fryer 13l - Threephase

- spec. stainless steel heating elements
- cold zone
- ceramic thermostat (working and safety)
- heat control 50 - 190°C
- robust drain outlet 3/4"
- robust basket
- basket: 21 x 30 x 12 cm (standard) or 2 x 10 x 30 x 12 cm (on request)
- oil container with sieve plate inside base



9,9 kW
400 V / 3N / 50 Hz



Dimensions (cm): 32 x 60 x 86 - 92

prices for baskets are for single units

Type of product	Description	View	Power/Voltage
-----------------	-------------	------	---------------


FE - 61/13 ELT

Electric Fryer 2 x 13l - Threephase

- spec. Stainlee steel heating elements
- cold zone
- ceramic thermostat (working and safety)
- heat control 50 - 190°C
- robust drain outlet 3/4"
- robust basket
- baskets:
2 x 21 x 30 x 12 cm (standard)
or 4 x 10 x 30 x 12 cm (on request)
- oil container with sieve plate inside base



2 x 9,9 kW
400 V / 3N / 50 Hz



Dimensions (cm): 64 x 60 x 86 - 92

prices for baskets are for single units

UH - 30 EL

Fry Dump with Lamp

- Fry Dump
- capacity GN 1/2 - 200
 - false bottom • stainless steel body
 - spec. stainless steel heating element
 - heat control 30-90°C
 - robust drain outlet 3/4"

- Lamp
- stainless steel body
 - spec. stainless steel heating element



0,85 kW
230 V / 50 Hz

540,-

Dimensions (cm): 33 x 60 x 57

UM - 30 L

Wash basin

- pressed upper desk
- water tap included
- basin dimensions: 23 x 30 x 20 cm



Dimensions (cm): 33 x 60 x 29