








Type of product	Description	View	Power/Voltage
PS - 2010 L	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>3 kW 230 V / 50 Hz</p>
PS - 2010 R	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 		<p>3 kW 230 V / 50 Hz</p> <p>Dimensions of plate (cm): 26 x 24 Dimensions PS-2010 (cm): 30,4 x 40,5 x 18,2</p>
PM - 2015 L	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>3 kW 230 V / 50 Hz</p>
PM - 2015 R	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 		<p>3 kW 230 V / 50 Hz</p> <p>Dimensions of plate (cm): 36,5 x 24 Dimensions PM-2015 (cm): 40,9 x 40,5 x 18,2</p>
PD - 2020 L	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>6 kW 400 V / 3N/ 50 Hz</p>
PD - 2020 R	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 		<p>6 kW 400 V / 3N/ 50 Hz</p>
PD - 2020 M	<p>Electric Contact grill</p> <ul style="list-style-type: none"> • 1/2 smooth + 1/2 grooved • special iron plate • max. temperature 300 °C • plate welded from above 		<p>6 kW 400 V / 3N/ 50 Hz</p> <p>Dimensions of plate (cm): 57 x 24 Dimensions PD-2020 (cm): 61,4 x 40,5 x 18,2</p>

Type of product

Description

View

Power/Voltage

PD - 2020 LSL

Electric Contact grill

- smooth
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill left side



4,2 kW
400 V /3N/ 50 Hz

PD - 2020 LSP

Electric Contact grill

- smooth
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill right side

Dimensions of plate (cm): 57 x 24
Dimensions PD-2020 (cm): **61,4 x 40,5 x 18,2**

PD - 2020 RSL

Electric Contact grill

- grooved
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill left side



4,2 kW
400 V /3N/ 50 Hz

PD - 2020 RSP

Electric Contact grill

- grooved
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill right side

Dimensions of plate (cm): 57 x 24
Dimensions PD-2020 (cm): **61,4 x 40,5 x 18,2**

PD - 2020 MSL

Electric Contact grill

- 1/2 smooth + 1/2 grooved
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill left side







4,2 kW
400 V /3N/ 50 Hz

PD - 2020 MSP

Electric Contact grill

- 1/2 smooth + 1/2 grooved
- special iron plate
- max. temperature 300 °C
- plate welded from above
- contact grill right side

Dimensions of plate (cm): 57 x 24
Dimensions PD-2020 (cm): **61,4 x 40,5 x 18,2**

Type of product	Description	View	Power/Voltage
PS - 2010 LB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>1.2 kW 230 V / 50 Hz</p>
PS - 2010 RB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 	<p>Dimensions of plate (cm): 26 x 24 Dimensions PS-2010 (cm): 30,4 x 32,2 x 18,2</p>	<p>1.2 kW 230 V / 50 Hz</p>
PM - 2015 LB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>1.8 kW 230 V / 50 Hz</p>
PM - 2015 RB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 	<p>Dimensions of plate (cm): 36,5 x 24 Dimensions PM-2015 (cm): 38,7 x 32,2 x 18,2</p>	<p>1.8 kW 230 V / 50 Hz</p>
PD - 2020 LB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • smooth • special iron plate • max. temperature 300 °C • plate welded from above 		<p>2.4 kW 230 V / 50 Hz</p>
PD - 2020 RB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • grooved • special iron plate • max. temperature 300 °C • plate welded from above 		<p>2.4 kW 230 V / 50 Hz</p>
PD - 2020 MB	<p>Electric grill plate</p> <ul style="list-style-type: none"> • 1/2 smooth + 1/2 grooved • special iron plate • max. temperature 300 °C • plate welded from above 	<p>Dimensions of plate (cm): 57 x 24 Dimensions PD-2020 (cm): 59,2 x 32,2 x 18,2</p>	<p>2.4 kW 230 V / 50 Hz</p>